

# GET ddl/database/:db/table/:table/ property

## Table of contents

1 Description.....	2
2 URL.....	2
3 Parameters.....	2
4 Results.....	2
5 Example.....	2

## 1 Description

List all the properties of an HCatalog table.

## 2 URL

http://www.myserver.com/templeton/v1/ddl/database/:db/table/:table/property

## 3 Parameters

Name	Description	Required?	Default
:db	The database name	Required	None
:table	The table name	Required	None

## 4 Results

Name	Description
properties	A list of the tables properties in name: value pairs
database	The database name
table	The table name

## 5 Example

### Curl Command

```
% curl -s 'http://localhost:50111/templeton/v1/ddl/database/default/table/test_table/property?user.name=ctdean'
```

### JSON Output

```
{
  "properties": {
    "fruit": "apple",
    "last_modified_by": "ctdean",
    "hcat.osd": "org.apache.hcatalog.rcfile.RCFileOutputDriver",
    "color": "blue",
    "last_modified_time": "1331620706",
    "hcat.isd": "org.apache.hcatalog.rcfile.RCFileInputDriver",
    "transient_lastDdlTime": "1331620706",
    "comment": "Best table made today",
    "country": "Albania"
  },
  "table": "test_table",
```

```
"database": "default"  
}
```