

Deactivate a document

Table of contents

- 1 Introduction..... 2
- 2 Implementation..... 2
- 3 Parameters..... 2
- 4 usecase..... 2
 - 4.1 Deactivate screen..... 2
 - 4.2 Deactivate confirmation..... 3
- 5 Ant Task 3

1 Introduction

We have to :

- look if there are some live children, if no other language version is live
- delete the live contents (xml file) for the given document id and the given language
- delete the live resources for the given document id only if no other language version is live
- delete the language from the node corresponding to given the document id or all the node, if no other language version is live.

2 Implementation

It is implemented in a sequence of usecases to get all needed parameters, and uses the task concept to execute some ant task

3 Parameters

The parameters are string-value parameters

Required parameters:

- the document id
- the language
- the task id

4 usecase

They are implemented in the usecase sitemap (core)

4.1 Deactivate screen

URL :

```
{document-URL}?lenya.usecase=deactivate&lenya.step=showscreen
```

usecase sitemap:

```
<map:match pattern="deactivate" type="usecase">
  <map:match pattern="showscreen" type="step">
    <map:generate src="content/info/deactivate.xsp" type="serverpages"/>
    <map:transform src="xslt/info/deactivate.xsl">
      <map:parameter name="use-request-parameters" value="true"/>
    </map:transform>
    <map:transform src="cocoon:/notification/{../..1}/deactivate.xsl"/>
    <map:transform src="cocoon://scheduler/{../..1}/{../..2}/{../..3}.xsl"/>
    <map:call resource="style-cms-page"/>
  </map:match>
</map:match>
```

In the serverpage, we get the required parameters and if no other language version is live, we look for the live children. The stylesheet `xslt/info/deactivate.xsl` builds a form, if the requirement are achieved, else shows a message.

4.2 Deactivate confirmation

URL :

```
{document-URL}?lenya.usecase=deactivate&lenya.step=deactivate&...{source parameters}
```

usecase sitemap:

```
<map:match pattern="deactivate" type="usecase">
  <map:match pattern="deactivate" type="step">
    <map:act type="task">
      <map:redirect-to session="true" uri="{request:requestURI}"/>
    </map:act>
  </map:match>
</map:match>
```

The action `org.apache.lenya.cms.cocoon.acting.TaskAction` calls the execution of the ant task.

5 Ant Task

The ant target `deactivateDocument` is in the publication :

```
{publication}/config/tasks/targets.xml
```

and depends on the target `livedocumentpath`, to compute the live directory of the contents

More about ant task, see the documentation [Ant Task](#) (`../tasks/anttask.html`) and the [Javadoc](#) (`../apidocs/1.2/index.html`)