

Dispatcher Glossary

Table of contents

1 Introduction.....	2
2 A.....	2
3 B.....	2
4 C.....	2
5 D.....	2
6 E.....	3
7 H.....	3
8 S.....	3
9 T.....	3

1. Introduction

This is a glossary of terms and their definitions for the Dispatcher (aka views).

2. A

Term	Definitions	Notes
Add content to this Glossary	1. This glossary is incomplete, please help where you can by adding definitions to existing items where needed. Also, add new Dispatcher related Items to the glossary as appropriate.	<ul style="list-style-type: none"> • See Archive Mail • See Issue FOR-639

3. B

Term	Definitions	Notes
	1.	

4. C

Term	Definitions	Notes
Contracts	1.	

5. D

Term	Definitions	Notes
Dispatcher	<p>1. The Dispatcher is the codename for the Forrest Implementation of the Core J2EE Dispatcher View. java.sun.com has more information on its origins. 2. What we at 'Forrest' relate the Dispatcher to, is the overall technology and implementation of the replacement 'skins' system. Combining 'Views', 'Contracts', 'Themes' enables separation of concerns to provide a fast and efficient documentation framework.</p> <p>See Also: Contracts, Skins, Separation Of Concerns, Themes, Views</p>	

6. E

Term	Definitions	Notes
	1.	

7. H

Term	Definitions	Notes
forrest:hooks	1. forrest:hooks is a concept of defining format independent hooks to structure the output. 2. Hooks are used to help define the layout of a page. Hooks are only used to define the structure in our output that is required to enable a theme to apply its look and feel.	

8. S

Term	Definitions	Notes
Structurer	1. The Structurer is ... See Also: Contracts , Hooks , Property , Themes	

9. T

Term	Definitions	Notes
Themes	1. Theming	