

# Creating a Resource Type, Part 1: Prerequisites and Declaration

## Table of contents

1 Prerequisites.....	2
2 Adding a Module.....	2
3 Declaring the Resource Type.....	3
4 Adding I18n Messages for the Resource Type Name.....	4

This section explains how to create a new resource type. For more information on resource types, refer to the [resource types reference](#) (`../../../../docs/2_0_x/reference/resource-types.html`) . For the sake of simplicity, we'll test the resource type with the default publication.

Our resource type will support storing details (name, address, etc.) of people. We'll call it *person*. Since we're too lazy (and too smart) to invent our own XML schema, we'll just use the one provided by the [Foaf](#) (<http://www.foaf-project.org/>) project.

You can checkout the source code of this example from the Subversion repository at the URL <http://svn.apache.org/repos/asf/lenya/sandbox/modules/person>.

## 1 Prerequisites

We'll use the following directory layout:

```
$HOME/
 apache/
   lenya-2.0/           The Lenya installation directory, we'll call it $LENYA_HOME.
   src/
     lenya/             The home directory of your Lenya-related sources.
       modules/
         person/         Our "person" resource type module ($MODULE_HOME).
```

## 2 Adding a Module

We'll add a module which will contain the resource type. This makes it self-contained, and it will be very easy to re-use our resource type in different publications. Create the *person* directory (see section *Prerequisites*) with the following directory layout:

```
person/
 config/               Configuration of the module.
   menu.xsp            The resource type menu items.
   module.xml           Module descriptor.
 cocoon-xconf/
   resourcetype-person.xconf The declaration of our resource type.
resources/
   i18n/                The internationalization catalogues.
   icons/
     person.gif         The icon for the sitetree.
   samples/
     foaf.xml          Samples to create person documents.
   xslt/
     foaf2xhtml.xml    Transform Foaf documents to XHTML.
   menus.xmap           The sitemap generating the menu.
```

Each module needs a module descriptor file `$MODULE_HOME/config/module.xml`. In our case it looks like this (replace `org.yourproject` with your own package name):

```
<?xml version="1.0" encoding="UTF-8"?>
<module xmlns="http://apache.org/lenya/module/1.0">
  <id>org.yourproject.lenya.modules.person</id>
  <package>org.yourproject.lenya.modules</package>
  <version>0.1-dev</version>
  <name>person</name>
  <lenya-version>@lenya.version@</lenya-version>
  <description>Resource type to store person details</description>
</module>
```

Now we have to let Lenya know that we've added a new module. Edit the file `$LENYA_HOME/local.build.properties` and add the path to your `modules` directory (the parent of `$MODULE_HOME`) at the end of the `modules.root.dirs` declaration:

```
modules.root.dirs=...:/home/john/src/lenya/modules
```

Finally, we'll have to declare the module in the publications which use it (in our case, the default publication). Edit `$PUB_HOME/config/publication.xml` and add the entry

```
<module name="person"/>
```

to the `<modules/>` section. Additionally, you can assign a workflow to the resource type in the `<resource-types>` section of `publication.xml`:

```
<resource-type name="person" workflow="fallback://config/workflow/workflow.xml"/>
```

### 3 Declaring the Resource Type

To let Lenya know that a new resource type exists, we'll add the resource type declaration file `resourcetype-person.xconf`. This is a patch for the `cocoon.xconf` file and therefore located in `$MODULE_HOME/config/cocoon-xconf`.

```
<?xml version="1.0"?>
<xconf xpath="/cocoon/resource-types"
       unless="/cocoon/resource-types/component-instance[@name = 'person']">

  <component-instance name="person" logger="lenya.resourcetypes"
    class="org.apache.lenya.cms.publication.ResourceTypeImpl">

    <schema
      namespace="http://relaxng.org/ns/structure/0.9"
      uri="fallback://lenya/modules/person/resources/schemas/foaf.rng"
    />

    <!-- Default time cache time in seconds for this resource type -->
    <expires seconds="3600" />

    <sample
      name="Basic FOAF sample"
      mime-type="application/rdf+xml"
      uri="fallback://lenya/modules/person/samples/foaf.xml"
    />

    <format name="xhtml" uri="cocoon://modules/person/xhtml.xml"/>
    <format name="xhtml-include" uri="cocoon://modules/person/xhtml-include.xml"/>
    <format name="icon" uri="cocoon://modules/person/icon"/>

  </component-instance>
</xconf>
```

According to this declaration, the Lenya web application creates a new `ResourceTypeImpl` service on startup which makes the resource type details available to other objects.

In the [next section](#) (`../../../../docs/2_0_x/tutorials/resourcetype/part2.html`) we'll setup the creation of person documents.

## 4 Adding I18n Messages for the Resource Type Name

Now we'll provide i18n messages for each language to show the resource type name in a human-readable form. There is a convention that the message key *resourceType-{name}* is used.

Create the file \$MODULE\_HOME/resources/i18n/cmsui.xml with the following content:

```
<?xml version="1.0" encoding="UTF-8"?>
<catalogue xml:lang="en" xmlns:xhtml="http://www.w3.org/1999/xhtml">
  <message key="resourceType-person">Person</message>
</catalogue>
```

For other languages, use the language code as suffix (cmsui\_de.xhtml etc.) and don't forget to set the *xml:lang* attribute of the `<catalogue>` element.