History of Changes

Table of contents

1 Introduction and explanation of symbols	2
2 Version 2005-11 ()	
2.1 1.2	
2.2 2.0	
2.3 Documentation.	
2.4 Site	
2.5 Contributors to this release	/

XML

(changes.rss)

1 Introduction and explanation of symbols

Changes are sorted by "{0}" and thentype chronologically with the most recent at the top. These symbols denote the various action types:=add, =remove, =update

2 Version 2005-11 ()

2.1 1.2

- [1.2] deprecated source type action added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=332041&view=rev) Committed by michi.
- [1.2] updated Forrest with fixed SourceTypeAction thanks to Josias <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=332042&view=rev) Committed by michi.
- [1.2] input module to make content dir configurable started <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=332057&view=rev) Committed by michi.
- [1.2] ProxyGenerator with https resp. getScheme enhanced <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=332837&view=rev) Committed by michi.
- [1.2] obsolete libraries <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=332043&view=rev) Committed by michi.
- [1.2] Open live page in a new window <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=330213&view=rev) Committed by jann.
- [1.2] bug re hardcoded filename generation fixed. DocumentIdToPathMapper is now being used Diff (http://svn.apache.org/viewcvs.cgi?rev=330231&view=rev) Committed by michi.
- [1.2] getChildFileName fixed such that one is forced to upgrade the creators because of the DocumentIdToPathMapper bug Diff (http://svn.apache.org/viewcvs.cgi?rev=330247&view=rev) Committed by michi.
- [1.2] getChildFileName fixed such that one is forced to upgrade the creators because of the DocumentIdToPathMapper bug Diff (http://svn.apache.org/viewcvs.cgi?rev=330248&view=rev) Committed by michi.
- [1.2] there seems to be a bug re concat filesystem path. TODO added <u>Diff</u> (http://svn.apache.org/ viewcvs.cgi?rev=331231&view=rev) Committed by michi.
- [1.2] preparations for making root content dir configurable <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=331233&view=rev) Committed by michi.
- [1.2] content authoring element fixed <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=331768&view=rev) Committed by michi.
- [1.2] SourceTypeAction package name changed <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=332044&view=rev) Committed by michi.
- [1.2] content-dir input module added as TODO <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=332058&view=rev) Committed by michi.
- [1.2] Get the content path with help of the new PublicationContentDirModule in all default's sitemaps Diff (http://svn.apache.org/viewcvs.cgi?rev=332085&view=rev) Committed by edith.

- [1.2] Get the content path with help of the new PublicationContentDirModule in all default's sitemaps Diff (http://svn.apache.org/viewcvs.cgi?rev=332086&view=rev) Committed by edith.
- [1.2] paths neutralized <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=332247&view=rev) Committed by michi.
- [1.2] paths neutralized <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=332248&view=rev) Committed by michi.
- [1.2] needs also to work without configuration in order to stay backwards compatible <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=344356&view=rev) Committed by michi.
- [1.2] needs to work also without configuration in order to stay backwards compatible <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=344357&view=rev) Committed by michi.
- [1.2] note about xopushandler action added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=344359&view=rev) Committed by michi.
- [1.2] Revision controller prepared such that it works with configurable content directories <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=344363&view=rev) Committed by michi.
- [1.2] getDocument added to make content dir configurable <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345212&view=rev) Committed by michi.
- [1.2] advanced methods such that document root dirs will be configurable commented <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345783&view=rev) Committed by michi.
- [1.2] security patch <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=348771&view=rev) Committed by michi.
- [1.2] thanks to Josias Thoeny the sitetree bug re access controlling has been fixed <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=349402&view=rev) Committed by michi.
- [1.2] patch update from Josias <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=349410&view=rev) Committed by michi.
- [1.2] call fallback for the root transformation and the sitetree2nav.xsl, so that they can be overwridden in the pubs (ex: no language suffix _ in url) Diff (http://svn.apache.org/viewcvs.cgi? rev=349988&view=rev) Committed by edith.

2.2 2.0

- [2.0] First steps re. JCR-only approach: removed dependencies on JCR block, added own JCR libs, started JCR facade objects and content migration build target. Diff (http://svn.apache.org/viewcvs.cgi?rev=330793&view=rev) Committed by andreas.
- [2.0] Added 1st version of new Lenya repo interfaces + JCR-based implementation Diff (http://svn.apache.org/viewcvs.cgi?rev=330846&view=rev) Committed by andreas.
- [2.0] Robert Goene's lucene usecase added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345026&view=rev) Committed by michi.
- [2.0] lucene XSLTs added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345027&view=rev) Committed by michi.
- [2.0] lucene specific classes re Robert Goenes code <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345031&view=rev) Committed by michi.
- [2.0] lucene module of Robert Goene added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345033&view=rev) Committed by michi.
- [2.0] more lucene stuff of Robert Goene added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345035&view=rev) Committed by michi.

- [2.0] lucene config added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345041&view=rev) Committed by michi.
- [2.0] simple opendocument XSLT added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345271&view=rev) Committed by michi.
- [2.0] replaces the SourceWritingTransformer with a flow approach that uses the processPipelineTo() method of the cocoon flow object. When exiting the flow a plain status code is sent back to the browser. Thanks to a patch by Felix Röthenbacher Diff (http://svn.apache.org/viewcvs.cgi? rev=345494&view=rev) Committed by chestnut.
- [2.0] replaces the SourceWritingTransformer with a flow approach that uses the processPipelineTo() method of the cocoon flow object. When exiting the flow a plain status code is sent back to the browser. Thanks to a patch by Felix Röthenbacher Diff (http://svn.apache.org/viewcvs.cgi? rev=345495&view=rev) Committed by chestnut.
- [2.0] Update Jetty to version 5.1.4 Thanks to a patch by Felix Röthenbacher <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345639&view=rev) Committed by chestnut.
- [2.0] Update Jetty to version 5.1.4 Thanks to a patch by Felix Röthenbacher <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345640&view=rev) Committed by chestnut.
- [2.0] clean up, moved lucene specific files into the lucene module directory <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=348067&view=rev) Committed by chestnut.
- [2.0] moved lucene specific files into lucene module directory <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=348074&view=rev) Committed by chestnut.
- [2.0] applied Patch for removing log4j:WARN removing upon Jetty start-up, Bug 37240, Thanks to a patch by Felix Röthenbacher <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=348422&view=rev) Committed by chestnut.
- [2.0] moved lucene stylesheets into resource specific modules xslt directory Thanks to Felix Fixes Bug 37626 <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=348759&view=rev) Committed by chestnut
- [2.0] Extended repo API, updated JCR repo implementation to a more generic approach (using a repository facade and path structures) <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=350074&view=rev) Committed by andreas.
- [2.0] LGPL code removed <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345270&view=rev) Committed by michi.
- [2.0] Don't call opendocument2xhtml.xsl: the transformation is replaced by the xslt of art rhyno Diff (http://svn.apache.org/viewcvs.cgi?rev=330006&view=rev) Committed by edith.
- [2.0] the attribute for the style's properties change from style:properties into style:local-name()-properties Diff (http://svn.apache.org/viewcvs.cgi?rev=330083&view=rev) Committed by edith.
- [2.0] allow to patch lenya.roles by publications and modules <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=330229&view=rev) Committed by andreas.
- [2.0] <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=330292&view=rev) Committed by chestnut.
- [2.0] Diff (http://svn.apache.org/viewcvs.cgi?rev=330293&view=rev) Committed by chestnut.
- [2.0] Accidental commit (messing around with cform type), sorry about that <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=330294&view=rev) Committed by chestnut.
- [2.0] fixed img references for up/down arrows <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=330541&view=rev) Committed by chestnut.
- [2.0] Changed cform code that it is possible to use a cancel button. <u>Diff</u> (http://svn.apache.org/ viewcvs.cgi?rev=330572&view=rev) Committed by thorsten.

- [2.0] Fixed typo in usecase.js. Spotted by Felix. Thx Felix. Diff (http://svn.apache.org/viewcvs.cgi? rev=330789&view=rev) Committed by thorsten.
- [2.0] prompt for clean build of cocoon with new local.blocks.properties <u>Diff</u> (http://svn.apache.org/ viewcvs.cgi?rev=330833&view=rev) Committed by chestnut.
- [2.0] Added a fallback for module specific menu generation. Now you can override the menus provided by the modules. e.g. If you want to override the menu provided by the xhtml module, just create a file in pub-id/conf/menus/xhtml.xsp and provide your own menu implementation for the module. Diff (http://svn.apache.org/viewcvs.cgi?rev=331273&view=rev) Committed by thorsten.
- [2.0] Usecase exit parameters can now be supplied without a value in the xconf, the value will be picked up from the parameters passed to the usecase. This fixes Bug 37362 <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=331627&view=rev) Committed by chestnut.
- [2.0] Fixes non working cancel buttons <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=331826&view=rev) Committed by thorsten.
- [2.0] Configuration of log4j.xconf <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=332068&view=rev) Committed by chestnut.
- [2.0] languages choice is hidden if just one language available in publication Thanks to a patch by Simon Litwan, fixes Bug 37434 <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=332227&view=rev) Committed by chestnut.
- [2.0] added userId, groupId, and ipRangeId to exit usecases where needed <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=332235&view=rev) Committed by chestnut.
- [2.0] fixes ability to save in kupu using webdav interface instead of kupu usecase. Will clean up usecase if this seems to work out. Post processing (before validation) of document can be done with modules/xhtml/xslt/clean-xhtml.xsl if needed. Diff (http://svn.apache.org/viewcvs.cgi? rev=332356&view=rev) Committed by chestnut.
- [2.0] Example of a optional xhtml sample in the default pub. Perhaps someone can provide a patch for a better example of a 2 column page Diff (http://svn.apache.org/viewcvs.cgi? rev=332385&view=rev) Committed by chestnut.
- [2.0] comment this sample out untill there is a way to make additional samples publication specific Diff (http://svn.apache.org/viewcvs.cgi?rev=332439&view=rev) Committed by chestnut.
- [2.0] JCR integration: implemented writing and reading document content <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=332599&view=rev) Committed by andreas.
- [2.0] removed reference to non-existing entry module from blog publication Diff (http://svn.apache.org/viewcvs.cgi?rev=344086&view=rev) Committed by andreas.
- [2.0] Added ContextUtility to allow the DocumentPolicyManagerWrapper to access the context on demand. This fixes bug #36494. Credits to Felix Roethenbacher. Diff (http://svn.apache.org/viewcvs.cgi?rev=344087&view=rev) Committed by andreas.
- [2.0] Throw comprehensible exception when a resource type does not support a particular format. Diff (http://svn.apache.org/viewcvs.cgi?rev=344088&view=rev) Committed by andreas.
- [2.0] Added XHTML format to search resource type <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=344089&view=rev) Committed by andreas.
- [2.0] Apply module menu fallback to menus.xmap, not to single XSPs <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=344095&view=rev) Committed by andreas.
- [2.0] return proper status code on success PUT request <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=344237&view=rev) Committed by chestnut.

- [2.0] Fixed missing i18n namespace in cforms module and example. <u>Diff</u> (http://svn.apache.org/ viewcvs.cgi?rev=344352&view=rev) Committed by thorsten.
- [2.0] Calling DocumentManager.isValidDocumentName() from CreateDocument usecase to validate document names. DocumentManagerImpl allows only characters and numbers in document IDs. Diff (http://svn.apache.org/viewcvs.cgi?rev=345016&view=rev) Committed by andreas.
- [2.0] config for Jeceira Repository Factory added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345019&view=rev) Committed by michi.
- [2.0] Lucene block added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345022&view=rev) Committed by michi.
- [2.0] Icr changed because of additional lucene block <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345029&view=rev) Committed by michi.
- [2.0] lucene code of Robert Goene added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345032&view=rev) Committed by michi.
- [2.0] search field added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345034&view=rev) Committed by michi.
- [2.0] added kupusave.xsl as import to clean up kupu generated source before validation Diff (http://svn.apache.org/viewcvs.cgi?rev=345036&view=rev) Committed by chestnut.
- [2.0] indexing added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345038&view=rev) Committed by michi.
- [2.0] indexing added <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345039&view=rev) Committed by michi.
- [2.0] opendocumenttext fixed <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345280&view=rev) Committed by michi.
- [2.0] Added infrastructure for module test builds <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345521&view=rev) Committed by andreas.
- [2.0] Updated custom_nodetypes.xml to new Jackrabbit syntax Diff (http://svn.apache.org/viewcvs.cgi?rev=345522&view=rev) Committed by andreas.
- [2.0] Improved repo interfaces and JCR-based implementation, added JCRRepositoryTest, updated migration class accordingly Diff (http://svn.apache.org/viewcvs.cgi?rev=345523&view=rev) Committed by andreas.
- [2.0] Initialize all mandatory JCR properties. The migrate-14 target works now. <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345525&view=rev) Committed by andreas.
- [2.0] added JOB_DATA column to qrtz_triggers table fixes error "Column count does not match in statement" when trying to schedule a job <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=345632&view=rev) Committed by chestnut.
- [2.0] Takes care of class cast exception when scheduled job tries to publish Diff (http://svn.apache.org/viewcvs.cgi?rev=345636&view=rev) Committed by chestnut.
- [2.0] allows publish usecase to reindex doc in live index when run from scheduled job <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345637&view=rev) Committed by chestnut.
- [2.0] made lucene indexes area (live and authoring) specific, lucene usecase which can be called as an exit usecase of other usecases Diff (http://svn.apache.org/viewcvs.cgi?rev=348547&view=rev) Committed by chestnut.
- [2.0] xhtml2index xsl path changes <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=348760&view=rev) Committed by chestnut.

- [2.0] JCR module: added Assertion utility class, fixed some NPE issues <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=349406&view=rev) Committed by andreas.
- [2.0] added ability to request shared resources [js or css] inherited [or ancestor] from templated pubs ex: page.css @import url(page.inherited.css); /* pub specific css */ Diff (http://svn.apache.org/viewcvs.cgi?rev=349588&view=rev) Committed by chestnut.
- [2.0] don't allow to reload cocoon for security reasons. see bug #37631 <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=350020&view=rev) Committed by josias.

2.3 Documentation

- [Documentation] started documentation about repository layout <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=330093&view=rev) Committed by andreas.
- [Documentation] added documentation about usecase parameters <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=332040&view=rev) Committed by andreas.
- [Documentation] Add the University of Zuerich to the live site <u>Diff</u> (http://svn.apache.org/viewcvs.cgi?rev=345470&view=rev) Committed by jann.

2.4 Site

- [Site] Adding Uni Zuerich to the live websites <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=348525&view=rev) Committed by jann.
- [Site] Adding Uni Zuerich to the live websites <u>Diff</u> (http://svn.apache.org/viewcvs.cgi? rev=348526&view=rev) Committed by jann.

2.5 Contributors to this release

We thank the following people for their contributions to this release.

This is a list of all people who participated as committers: (andreas), (chestnut), (edith), (jann), (josias), (michi), (thorsten).