

# ForrestBar - Firefox toolbar to ease navigation and search of Forrest resources

## Table of contents

1 What is the ForrestBar?.....	2
2 Installing the ForrestBar.....	2
3 Using the ForrestBar.....	2
3.1 Forrest menu.....	2
3.2 Apache menu.....	2
3.3 References menu.....	2
3.4 Devs. menu.....	3
3.5 Dispatcher-dev menu.....	3
3.6 Search menu.....	3
3.7 Contracts-dev menu.....	4
4 Configuring the ForrestBar.....	4

## 1 What is the ForrestBar?

---

The ForrestBar is a toolbar extension made for the [Mozilla](#) and [Firefox](#) browsers that eases the navigation of online Apache Forrest resources (including local instances of Forrest running on jetty or as a webapp), Apache links and other Apache projects. It also provides targetted searches for Forrest resources, e.g. search mail lists and issue tracker.

Navigation and developer assistance for Apache Forrest-related documentation frameworks.

## 2 Installing the ForrestBar

---

ForrestBar is currently compatible with Firefox 0.9 - 2.0+ and Mozilla 1.x browsers.

Select this link to [install](#) ForrestBar.

If the extension does not automatically install for you when clicking on the link, download ForrestBar by right clicking on the link and select Save As... to save the file to your computer. To install, simply drag the downloaded .xpi file into your browser's window and drop it.

To build (and perhaps enhance) ForrestBar locally rather than downloading, go to FORREST\_HOME/tools/forrestbar and run the following command: `forrest -f build.xml` and the .xpi file will be built for you in the FORREST\_HOME/tools/forrestbar/build directory. You can then install it by dragging and dropping as indicated above.

## 3 Using the ForrestBar

---

ForrestBar has the following features.

### 3.1 Forrest menu

---

This menu gives you direct access to various information about the Forrest project such as :

- The Forrest Site
- The project Subversion repository
- The project Issues manager
- The mailing lists...

The last choice *Local Forrest* is a direct access to the dynamic forrest site when you use 'forrest run' mode.

### 3.2 Apache menu

---

This menu gives you direct access to several information about the Apache Software Foundation.

### 3.3 References menu

---

This menu gives you direct access to several documentation of components used in the Forrest project such as :

- The Apache Ant documentation
- The Apache Cocoon documentation
- The Subversion Book

### 3.4 Devs. menu

---

**Warning:**

This menu needs the *Local Forrest* site to be launched, i.e. 'forrest run' mode.

This menu provides various general resources for developers.

- Access to "abs-menulinks" which is the internal representation of the "site.xml" navigation configuration. See [explanation](#). Like the [Linkmap](#), it assists with development and [debugging](#).
- Access to the Cocoon Profiler which shows summary information about sitemap processing. See configuration [notes](#).

**FIXME ( open):**

Need to re-enable access to localhost:8888/foo/bar.xml and localhost:8888/foo/bar.fo internal formats.

### 3.5 Dispatcher-dev menu

---

**Warning:**

This menu needs the *Local Forrest* site to be launched, i.e. 'forrest run' mode. The site needs to be enabled to use the Dispatcher.

#### 3.5.1 Internal formats section

---

These options give you direct access to dispatcher internal xml formats of the current page such as :

- The Intermediate format
- The Body
- The Table of Content
- ...

These accesses are very interesting in development phase to display - in xml format - the content of any dispatcher page.

#### 3.5.2 Structurer section

---

This option gives you direct access to the structurer which is in charge to generate the current page.

#### 3.5.3 Contracts section

---

These options give you direct access to an automatically generated page which displays the documentation of the available contracts that you can use.

The *ls.contracts* option displays the list of standard contracts available whereas the *ls.contracts.project* only displays the list of contracts specific to the project.

### 3.6 Search menu

---

This menu lets you search in different Forrest related archives or sites such as :

- The mail (User or Devs) archives lists
- The commits in subversion repository
- The Forrest site
- The Jira Issues - site which manages Forrest issues

To perform a search in one of these sites, just enter a keyword in the Search field and select the site you want to search in in the Search menu.

#### Jira Issues

If you enter the number of a Forrest issue you are working on (let's say FOR-962) the search in the JIRA Issues site will directly access to the Issue properties page.

#### Subversion revisions

Subversion revision gives you a direct access to the revision you entered in the search field (let's say 521779).

### 3.7 Contracts-dev menu

#### Warning:

This menu needs the *Local Forrest* site to be launched, i.e. 'forrest run' mode. The site needs to be enabled to use the Dispatcher.


This menu gives you direct access to Dispatcher contracts. You can access to html or fo contract by entering the contract name in the search field and selecting the corresponding *prepare* or *resolve* option.

These accesses are very useful to check that the contract you are working on is found by the dispatcher and is syntactically correct.

## 4 Configuring the ForrestBar

ForrestBar can be configured in order to change the *localhost* and *port* used to connect to Forrest dynamic site, i.e. if you have changed 'forrest run' mode to use a [different port](#).

The defaults are `localhost:8888` and can be changed through the Options window :



Once you have entered the correct values for your installation, the ForrestBar saves them in your browser user preferences so that they will be used again next time you will start your browser.